

# Food Surface Wipes

## Safety Data Sheet – DS195

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 14/06/2021 Revision date: 16/04/2024 Supersedes version of: 14/06/2021 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Food Surface Sanitising Wipes - Prosan

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Disinfectant wipes

#### 1.3. Details of the supplier of the safety data sheet

Maclin Sourcing Solutions Ltd  
Unit A3 Risby Business Park Unit  
Newmarket Road  
Risby, Suffolk  
IP28 6RD  
United Kingdom  
T +44(0)1 284 810887  
[info@maclingroup.co.uk](mailto:info@maclingroup.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +44(0)20 8310 4000

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Hazard statements (CLP) : H319 - Causes serious eye irritation.  
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1)( <sup>1</sup> ), formaldehyde ...% (50-00-0)( <sup>1</sup> ), Propan-2-ol (67-63-0), QUATERNARY AMMONIUM COMPOUNDS (68424-85-1), QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3), ethanol; ethyl alcohol (64-17-5)( <sup>1</sup> )
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1)( <sup>1</sup> ), formaldehyde ...% (50-00-0)( <sup>1</sup> ), Propan-2-ol (67-63-0), QUATERNARY AMMONIUM COMPOUNDS (68424-85-1), QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3), ethanol; ethyl alcohol (64-17-5)( <sup>1</sup> )

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Propan-2-ol (67-63-0), QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3), QUATERNARY AMMONIUM COMPOUNDS (68424-85-1), ethanol; ethyl alcohol (64-17-5)( <sup>1</sup> ), methanol (67-56-1)( <sup>1</sup> ), formaldehyde ...% (50-00-0)( <sup>1</sup> )

(<sup>1</sup>) Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-2-ol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES	CAS-No.: 68424-95-3 EC-No.: 270-331-5	0.1 – 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Aquatic Acute 1, H400 (M=10)
QUATERNARY AMMONIUM COMPOUNDS	CAS-No.: 68424-85-1 EC-No.: 939-253-5	0.1-0.24	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	< 0.1	Flam. Liq. 2, H225
methanol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
formaldehyde ...% substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350

## Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-44	(3 ≤ C < 10) STOT SE 2; H371 (10 ≤ C < 100) STOT SE 1; H370
formaldehyde ...%	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	(0.2 ≤ C ≤ 100) Skin Sens. 1; H317 (5 ≤ C < 25) Skin Irrit. 2; H315 (5 ≤ C < 25) Eye Irrit. 2; H319 (5 ≤ C ≤ 100) STOT SE 3; H335 (25 ≤ C ≤ 100) Skin Corr. 1B; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Move to fresh air in case of accidental inhalation of vapours and keep comfortable for breathing.
First-aid measures after skin contact	: If symptoms occur: wash skin with plenty of water. If symptoms continue: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: As the substrate is a wipe material ingestion is highly unlikely but in the event do not induce vomiting and wash mouth out with water. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes eye irritation.
Symptoms/effects after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: May cause slight irritation to the skin.
Symptoms/effects after eye contact	: Eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: Ingestion is not considered a potential route of exposure. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable. In accordance with EU Directive 1272/2008/EC this product will not sustain combustion and is not regarded as requiring a flammable warning.  
Explosion hazard : Product is not explosive.  
Reactivity in case of fire : None known.  
Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Precautionary measures fire : No special measures required.  
Firefighting instructions : Use extinguishing media appropriate for surrounding fire.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Avoid contact with skin and eyes.

#### For non-emergency personnel

Protective equipment : Not required for normal conditions of use.  
Emergency procedures : Ventilate spillage area.

#### For emergency responders

Protective equipment : Not required for normal conditions of use.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Pick up solid material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Wash the spillage site with large amounts of water.  
Other information : Dispose in a safe manner in accordance with local/national regulations.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure there is adequate ventilation. Avoid contact with eyes. Smoking is forbidden.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container closed when not in use.  
Incompatible materials : Strong oxidizing agents.  
Storage area : Store in a well-ventilated place.

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 7.3. Specific end use(s)

Washing and cleaning products (including solvent based products).

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

methanol (67-56-1)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m <sup>3</sup>
	200 ppm
WEL STEL (OEL STEL)	333 mg/m <sup>3</sup>
	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
formaldehyde ...% (50-00-0)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Formaldehyde
WEL TWA (OEL TWA)	2.5 mg/m <sup>3</sup>
	2 ppm
WEL STEL (OEL STEL)	2.5 mg/m <sup>3</sup>
	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Propan-2-ol (67-63-0)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propan-2-ol
WEL TWA (OEL TWA)	999 mg/m <sup>3</sup>
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
ethanol; ethyl alcohol (64-17-5)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Ethanol
WEL TWA (OEL TWA)	1920 mg/m <sup>3</sup>
	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2. Exposure controls

### Appropriate engineering controls

**Appropriate engineering controls:**

Ensure adequate ventilation.

### Personal protection equipment

**Personal protective equipment:**

Not required for normal conditions of use.

### Eye and face protection

**Eye protection:**

Not required for normal conditions of use

### Skin protection

**Skin and body protection:**

Not required for normal conditions of use

**Hand protection:**

Not required for normal conditions of use

**Other skin protection****Materials for protective clothing:**

Not required for normal conditions of use

### Respiratory protection

**Respiratory protection:**

No respiratory protection needed under normal use conditions

### Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Not available
Odour	: Characteristic odour.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: > 75 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: No data available.
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: No data available.
Relative vapour density at 20°C	: No data available.
Particle size	: Not available

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 9.2. Other information

### Other safety characteristics

Additional information : In accordance with EU Directive 1272/2008/EC this product will not sustain combustion and is not regarded as requiring a flammable warning.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Heat.

### 10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

methanol (67-56-1)	
LD50 oral rat	1187 – 2769 mg/kg bodyweight Animal: rat
LD50 oral	5628 mg/kg bodyweight
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	85000 mg/l
Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l
QUATERNARY AMMONIUM COMPOUNDS (68424-85-1)	
LD50 dermal rabbit	3412.5 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3)	
LD50 oral rat	238 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 0,198 - 0,287

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3)</b>	
LD50 dermal rabbit	3861 mg/kg bodyweight Animal: rabbit, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 0 - 4292
<b>ethanol; ethyl alcohol (64-17-5)</b>	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse
Skin corrosion/irritation	: Not classified pH: No data available.
<b>formaldehyde ...% (50-00-0)</b>	
pH	2.8 – 4
Serious eye damage/irritation	: Causes serious eye irritation. pH: No data available.
<b>formaldehyde ...% (50-00-0)</b>	
pH	2.8 – 4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Propan-2-ol (67-63-0)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
<b>methanol (67-56-1)</b>	
STOT-single exposure	Causes damage to organs.
<b>Propan-2-ol (67-63-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
<b>QUATERNARY AMMONIUM COMPOUNDS (68424-85-1)</b>	
NOAEL (subchronic, oral, animal/male, 90 days)	50 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	45 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
<b>ethanol; ethyl alcohol (64-17-5)</b>	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified
<b>Prosan Food Surface Sanitising Wipes</b>	
Viscosity, kinematic	Not applicable

## 11.2. Information on other hazards

No additional information available

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - water	: No data available on ecotoxicity.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### methanol (67-56-1)

LC50 - Fish [1]	10800 mg/l
EC50 - Other aquatic organisms [1]	10000 mg/l waterflea
EC50 - Other aquatic organisms [2]	12000 mg/l
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	446.7 mg/l Test organisms (species): Pimephales promelas Duration: '28 d'

#### formaldehyde ...% (50-00-0)

LC50 - Fish [1]	6.7 mg/l Test organisms (species): Morone saxatilis
EC50 - Crustacea [1]	5.8 mg/l Test organisms (species): Daphnia pulex
NOEC (chronic)	≥ 6.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 48 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'

#### Propan-2-ol (67-63-0)

LC50 - Fish [1]	9640 mg/l
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l

#### QUATERNARY AMMONIUM COMPOUNDS (68424-85-1)

LC50 - Fish [1]	0.515 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	0.016 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	0.01 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	0.03 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

#### QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3)

EC50 - Crustacea [1]	0.066 mg/l Test organisms (species): Daphnia magna
----------------------	--

#### ethanol; ethyl alcohol (64-17-5)

LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.2. Persistence and degradability

Prosan Food Surface Sanitising Wipes	
Persistence and degradability	Not biodegradable.
methanol (67-56-1)	
Persistence and degradability	Rapidly degradable
formaldehyde ...% (50-00-0)	
Persistence and degradability	Rapidly degradable
Propan-2-ol (67-63-0)	
Persistence and degradability	Rapidly degradable
QUATERNARY AMMONIUM COMPOUNDS (68424-85-1)	
Persistence and degradability	Rapidly degradable
QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3)	
Persistence and degradability	Rapidly degradable
ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Rapidly degradable

## 12.3. Bioaccumulative potential

Prosan Food Surface Sanitising Wipes	
Bioaccumulative potential	No data available.
methanol (67-56-1)	
Partition coefficient n-octanol/water (Log Pow)	-0.7
Propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05

## 12.4. Mobility in soil

Prosan Food Surface Sanitising Wipes	
Ecology - soil	No data available.

## 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1) <sup>(1)</sup> , formaldehyde ...% (50-00-0) <sup>(1)</sup> , Propan-2-ol (67-63-0), QUATERNARY AMMONIUM COMPOUNDS (68424-85-1), QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3), ethanol; ethyl alcohol (64-17-5) <sup>(1)</sup>
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	methanol (67-56-1) <sup>(1)</sup> , formaldehyde ...% (50-00-0) <sup>(1)</sup> , Propan-2-ol (67-63-0), QUATERNARY AMMONIUM COMPOUNDS (68424-85-1), QUATERNARY AMMONIUM COMPOUNDS, DI-C8-10-ALKYLDIMETHYL, CHLORIDES (68424-95-3), ethanol; ethyl alcohol (64-17-5) <sup>(1)</sup>

<sup>(1)</sup> Substance(s) in concentration below 0.1 % and displayed on a voluntary basis

## 12.6. Endocrine disrupting properties

No additional information available

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.7. Other adverse effects

Other adverse effects : No known effects from this product.  
Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecological waste information : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Comments
	Supersedes version of	<b>Added</b>
	Revision date	<b>Added</b>
	Issue date	<b>Modified</b>
1.1	Name	<b>Modified</b>
1.2	Main use category	<b>Added</b>
2.2	Precautionary statements (CLP)	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>

### Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

# DS195 Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.