

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

## **DS108 PINE DISINFECTANT**

Revision

Revision date 2017-06-28

6

	and the analysis and the analysis	-4	he company/undertaking
181010101110	Antitication of the clin	istance/mixture and of ti	ne company/Hinderfakind

1	1	Product	identifier	

Product name	PN1315 PINE DISINFECTANT
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

## 1.3. Details of the supplier of the safety data sheet

Company

Maclin Sourcing Solutions Ltd

Address

Unit A3 Risby Business Park

Newmarket Road

Risby IP28 6RD

Web Telephone www.maclingroup.co.uk

+44 (0)1284 810887

Email

info@maclingroup.co.uk

Email address of the

competent person

info@maclingroup.co.uk

## 1.4. Emergency telephone number

Emergency telephone number

Company

01284 810887 Maclin Group Not 24hrs

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

## 2.2. Label elements

Hazard pictograms



Signal Word Hazard Statement Warning

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement: Prevention

l

P264 - Wash hands thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

6

# J903 PINE DISINFECTANT

Revision

Revision date 2017-06-28

2.2. Label elements	
Precautionary Statement: Response  Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
Disposal	
<b>Б</b> ізрозаі	P501 - Dispose of contents/container to P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

## 2.3. Other hazards

Other hazards SPILLAGE MAY CREATE SLIP HAZARD.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification M-factor. (%w/w)
WATER					90 - 100%
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		0 - 0.5% Carc. Cat. 3; R40 Xn; R22 Xi; R36
Benzyl C12-18 Alkyldimethyl, Chlorides		68424-85-1	270-325-2	01-2119970550-39	0.5 - 1% C; R34 Xn; R21/22 N; R50
ALCOHOL ETHOXYLATE		68439-46-3			0 - 0.5% Xn; R22 Xi; R41
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0 - 0.5% F; R11 Xi; R36 R67
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5% C; R35

#### EC 1272/2008

0% 5% Carc. 2: H351; Acute To H302; Eye Irrit. 2: H31!	ov 4:
	ny 4·
11002, 2,0 11110. 2. 11013	
1% Acute Tox. 4: H302; Ac Tox. 4: H312; Skin Cor H314; Aquatic Acute 1:	r. 1A:
5% Acute Tox. 4: H302; Ey Dam. 1: H318;	е
5% Flam. Liq. 2: H225; Eye 2: H319; STOT SE 3: H	
5% Skin Corr. 1A: H314;	
	2: H319; STOT SE 3: F .5% Skin Corr. 1A: H314;

#### 4.1. Description of first aid measures

Inhalation Eye contact	No Significant Hazard.  May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

## 5.2. Special hazards arising from the substance or mixture



Revision 6 Revision date 2017-06-28

		Revision date 2017-00-28
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and ob	noxious fumes.
5.3. Advice for firefighters		
	Wear suitable respiratory equipment wh	en necessary.
SECTION 6: Accidental relea	ase measures	
6.1. Personal precautions, prote	ctive equipment and emergency procedure	es
	Wear suitable protective clothing.	
6.2. Environmental precautions		
	Do not allow product to enter drains. Pre	event further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up	
	Absorb with inert, absorbent material. So disposal. Clean spillage area thoroughly	weep up. Transfer to suitable, labelled containers for with plenty of water.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handling	•	
	ľ	best Manual Handling considerations when handling,
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep in a cool, dry, well ventilated area. containers.	Keep containers tightly closed. Store in correctly labelled
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
8.1.1. Exposure Limit Values		
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 999 WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
DNEL: Derived no-effect level.		
	No data available.	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Not normally required.	
8.2.2. Individual protection measures  Eye / face protection	Wear suitable protective clothing.	
Skin protection - Handprotection Respiratory protection	In case of splashing, wear:. Approved sa Chemical resistant gloves (PVC).	afety goggles.
	Not normally required	



Revision

6

Revision date 2017-06-28

SECTION 9: Physical and chemical proper	ties
---	------

9.1. Information on basic physical and chemical properties

Appearance Liquid
Colour Green
Odour Perfumes
pH 7 NOMINAL
Initial boiling point 100
Relative density 1.01 NOMINAL

Water solubility

Soluble in water.

#### SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

#### SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on this product.

Skin corrosion/irritation

May cause irritation to eyes. Seek medical attention if irritation or symptoms persist.

11.1.4. Toxicological Information

Benzyl C12-18 Alkyldimethyl, Oral Rat LD50: 200-2000mg/kg
Chlorides

### SECTION 12: Ecological information

12.1. Toxicity

No data is available on this product. Toxic to algae. Toxic to fish.

12.2. Persistence and degradability

More than 90% biodegradable.

### SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

#### SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.



Revision

6

Revision date 2017-06-28

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

ental regulations/legislation specific for the substance of The product is not classified as dangerous for carriage.

#### SECTION 15: Regulatory information

#### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAGOR AUTHORISTIC OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/FC.

#### 15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

#### SECTION 16: Other information

#### Other information

#### Revision

Section 3

This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008.

2 - 2.1.2. Classification - EO 12.12.2.2.2.2.2. Hazard pictograms.
2 - Signal Word.
2 - Precautionary Statement: Prevention.

Procautionary Statement: Response.

2 - Precautionary Statement: Response. 12 - 12.1. Toxicity.

15 - Regulations.

# Text of risk phrases in Section

Text of Hazard Statements in

R11 - Highly flammable.

R21/22 - Harmful in contact with skin and if swallowed. R22 - Harmful if swallowed.

R34 - Causes burns.

R35 - Causes severe burns.

R36 - Irritating to eyes. R40 - Limited evidence of a carcinogenic effect.

R41 - Risk of serious damage to eyes.

R50 - Very toxic to aquatic organisms.

R67 - Vapours may cause drowsiness and dizziness.

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Irrit. 2: H319 - Causes serious eye irritation.
Carc. 2: H351 - Suspected of causing cancer.
Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Eye Dam. 1: H318 - Causes serious eye damage.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

#### Further information



Revision

6

Revision date 2017-06-28

Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.